

3M Solutions for the Scientific Research Facilities







LABORATORY



M.R.O.





Health and Safety Solutions for the Pharmaceutical Industry.

Top Pharmaceutical Manufacturing Processes and Tasks

Active Pharmaceutical Ingredient

Helping health and safety leaders with the latest advancements in personal protection equipment when tackling the challenging occupational workplace hazards of API including highly potent APIs with an OEL lower than 1µg/m³.

Formulation and Packaging

Leveraging personal protective equipment innovations when addressing occupational health and safety hazards for drug substance formulation and packaging.

Maintenance and Cleaning

Delivering PPE solutions for potential occupational hazards with ongoing maintenance activities including decontamination or cleaning of cleanrooms or production suites with challenging cleaning agents such as peracetic acid and hydrogen peroxide.

MOST COMMON HAZARDS IN PHARMACEUTICAL MANUFACTURING



















PRODUCTION



LABORATORY



DISPOSABLE RESPIRATORS

3M[™] Aura[™] Disposable Respirators 9300+ Series



The 3M™ Aura™ Disposable Respirator 9330+ provides comfort and style without compromising performance. With the aid of 3M's innovative low breathing resistance filter technology, you can breathe through the respirator with less effort. The 3M™ Aura™ 9330+ also features an embossed top panel that helps reduce the fogging of eyewear from warm, moist exhaled air.



REUSABLE RESPIRATORS

3M[™] Secure Click[™] Reusable Half Mask HF-800 Series



features 3M™ Secure Click™ Reusable Respirator HF-800 Series is simple, comfortable and reliable. The new 3M™ Secure Click™ Series features a quick, simple cartridge/filter connection. It works just like a seat belt. Simply align the connections and push until you hear a click and feel confident that filters and cartridges are installed properly.

Designed with smart and intuitive



3M[™] Versaflo[™] Powered Air Turbo TR-800



TR-800 is an intrinsically safe powered air turbo from the 3M™ Versaflo™ range. When coupled with the Versaflo™ family of headtops, filters and accessories, TR-800 provides protection against a variety of gases and particulate hazards. Comfort is maximised with three user selectable flow rates and controlled airflow.



3M™ Versaflo™ Powered Air Turbo TR-600



POWERED AIR RESPIRATORS

With user-selectable airflow rates, rugged construction and a comfortable design that will see you through the entire shift, the 3M" Versaflo" Powered Air Turbo TR-600 helps provide durable protection in harsh environments.





3M[™] Versaflo[™] S-Series Hoods & Headcovers



g t



and headcovers that can be used in many 3M™ powered air turbo and supplied air respirator combinations. They have been designed for a comfortable, stable fit and feature the innovative 3M™ Quick

3M™ Versaflo™ S-Series Hoods &

Headcovers is a range of hoods

Release Swivel connection.



APPLICATIONS

API production/(bio-) synthesis

- ► Synthesis / reaction
- ► Fermentation

Solid pharma production

- ► Raw material control
- ► Repacking
- Raw material proportioning
- ► Granulation, mixing, sifting, drying
- ► Tablet compression / Capsule filling
- ► Tablet coating
- Primary packaging (blister pack)

Liquid/semi-solid Pharma Production

- ► Raw material proportioning
- ► Preparation of liquid / semi-solid
- Primary packaging (bottle / tube filling)
- ► Raw material control


- ► Reprocessing equipment for reuse
- ► Cleaning and maintenance of machinery
- ► Manual clean and disinfection



PROTECTIVE COVERALLS

3M™ Protective Coverall 4510





3M™ Protective Coverall 4520









3M™ Protective Coverall 4520 has been engineered to offer multiple layers of SMMMS for effective hold out and strength at a lightweight 43gsm. Superbly breathable and soft with a cloth like feel it can be worn for extended periods comfortably and protects against static discharge, hazardous particulates and liquid splash Type 5/6.

3M™ Protective Coverall 4565









3M™ Protective Coverall 4565 has desirable comfort features and provides a strong barrier to certain chemicals, liquid sprays and particles. 3M protective coverall 4565 is non-microporous to offers chemical protection with permeation tested resistance and is certified to EN 14126 biological agents. Type 4/5/6.

*A collared (non-hooded) version, 4520CS is also available.

APPLICATIONS

API production/(bio-) synthesis

- ► Synthesis / reaction
- ► Fermentation

Solid pharma production

- ► Raw material control
- ► Repacking
- Raw material proportioning
- ► Granulation, mixing, sifting, drying
- ► Tablet compression / Capsule filling
- ► Tablet coating
- Primary packaging (blister pack)

Liquid/semi-solid Pharma Production

- ► Raw material control
- Raw material proportioning
- ► Preparation of liquid / semi-solid
- Primary packaging (bottle / tube filling)
- Secondary packaging (card pack)

- ► Cleaning and maintenance of machinery
- ► Manual clean and disinfection
- ► Reprocessing equipment for reuse



Personal Safety Solutions HEARING PROTECTION











PASSIVE HEARING

3M™ PELTOR™ Earmuffs X Series



X series earmuffs combine 3M™ Peltors™ legendary hearing protection knowledge with our most advanced technologies, creating our most comfortable, durable earmuff. A broad range of protection in colour coded SNRs they make finding the correct protection level easier.



3M™ E-A-R™ Express™ Earplugs



3M[™] E-A-R[™] Express[™] Earplugs are our recognisable yellow and blue earplugs with a foam tip that's shaped and sized for a comfortable fit. They can reduce noise levels by 28 dB and have a hygienic insertion grip.



3M™ E-A-R™ UltraFit™ 20 **Earplugs**



3M™ E-A-R™ Ultrafit™ 20 Earplugs are our corded, reusable and silicone low attenuating earplugs. Protecting up to 20 dB, when matched to the noise level they allow conversation whilst protectig against hearing loss.



COMMUNICATIONS SOLUTIONS

3M™ PELTOR™ LiteCom **Headsets**



3M[™] PELTOR[™] LiteCom Headsets are our hearing protectors with a built-in pre-programmed two-way communication radio and an integrated noise cancelling microphone. They're built for demanding environments to help you communicate efficiently over hazardous noise.



APPLICATIONS

API production/(bio-) synthesis

- ► Synthesis / reaction
- ► Fermentation

Solid pharma production

- ► Raw material control
- ► Raw material proportioning
- ► Granulation, mixing, sifting, drying
- ► Tablet compression / Capsule filling
- ► Tablet coating
- Primary packaging (blister pack)
- Secondary packaging (card pack)

Liquid/semi-solid Pharma Production

- Raw material proportioning
- Preparation of liquid / semi-solid
- Primary packaging (bottle / tube filling)
- ► Raw material control
- Secondary packaging (card pack)

- ► Reprocessing equipment for reuse
- ► Cleaning and maintenance of machinery
- Manual clean and disinfection



SAFETY GLASSES

3M™ SecureFit™ Safety Glasses 400 Series









3M™ Solus™ 1000 Series Safety Glasses



A fogged lens can be frustrating and challenging. Removing eyewear to wipe away fog can expose eyes to potentially dangerous workplace impact hazards and debris. 3M™ Solus[™] 1000 series protective eyewear features Scotchgard™ Anti-Fog lens coating which helps workers see clearly, longer - providing longer lasting fog resistance than traditional anti-fog coatings. The 3M™ Scotchgard™ Protector Anti-Fog Coating resists fogging longer than traditional antifog coatings, up to 25 washings with water. Based on 3M internal testing of tap water wash cycles followed by anti-fog testing per EN168 test method.



OVERSPECTACLES

3M™ SecureFit™ **Overspectacles 3700 Series**



3M™ SecureFit™ Overspectacles 3700 Series are our safety overspectacles designed for people with prescription glasses. They feature adjustable ratchet temples with Pressure Diffusion Temple (PDT) technology to ensure a close fit and a soft touch nosepiece to help provide comfort. The polycarbonate lens is available with 3M™ Scotchgard™ Anti-Fog and anti-scratch coatings for increased durability

and improved vision. Available in three temple

arm colours and four lens options.





SAFETY GOGGLES

3M™ GoggleGear™ Safety Gogales 500 Series



3M™ Goggle Gear 500 Series features a low-profile design with an adjustable strap, indirect ventilation and 3M™ Scotchgard™ Protector Anti-Fog/Anti-Scratch Coating. Can be disinfected with diluted bleach soaking or alcohol wipes and sterilised by autoclave without losing its mechanical or anti-fog performance -please refer to Note.





*Note: Sterilisation by autoclaving - internal testing has been carried out on GG501NSGAF-EU samples subjected to 10x, 20x, 30x and 40x automatic cleaning and disinfection and sterilisation by autoclaving at 121°C. Testing was then carried out on the following properties:

- mechanical performance (BT) / the anti-fog properties (K)
- the anti-scratch properties (N) / optical performance (Class 1) Based on the internal testing the claims remain valid.

APPLICATIONS

API production/(bio-) synthesis

- ► Synthesis / reaction
- ▶ Fermentation

Solid pharma production

- ► Raw material control
- ► Repacking
- ► Raw material proportioning
- ► Granulation, mixing, sifting, drying
- ► Tablet compression / Capsule filling
- ► Tablet coating
- ► Primary packaging (blister pack)
- Secondary packaging (card pack)

Liquid/semi-solid Pharma Production

- Raw material proportioning
- Preparation of liquid / semi-solid
- Primary packaging (bottle / tube filling)
- ► Raw material control
- Secondary packaging (card pack)

- Reprocessing equipment for reuse
- Cleaning and maintenance of machinery
- Manual clean and disinfection



HEAD PROTECTION

3M™ SecureFit™ X5500 Safety Helmet

3M[™] SecureFit[™] Safety Helmet X5500 Series provides secure, comfortable and adjustable head protection for workers in a variety of situations. Our helmets feature adjustable positioning and easy-turning. 4-point ratchet suspension systems that features the exclusive 3M™ Pressure Diffusion Technology. X5500 Series safety helmets have 3M™ UVicator™ Sensors

that indicates damaging levels of ultraviolet (UV) light. They meet the EN397 standard for general industrial use and are available in a variety of colours with or without vents.

FACE PROTECTION

3M™ U5B-CE Faceshield Holder for **SecureFit™ Safety Helmet**



The U5B-CE Faceshield Holder connects a variety of 3M faceshields to the 3M™ SecureFit™ Safety Helmets X5000 and X5500.



3M™ WP Series Clear Visors





3M™ W-Series Faceshields offer optical clarity and highperformance durability in unpredictable environments that involve exposure to impact hazards and flying debris.





3M™ Faceshield, 5F-11 is our optical class 1, clear curved polycarbonate faceshield with antifog and anti-scratch coating. It's compatible with 3M™ V5 Faceshield System for mounting on 3M™ SecureFit™ X5500 Safety Helmet.

3M[™] 5F-11 Face Shields





3M™ Helmet Integrated Safety Glasses V9C



*Product supply may be affected due to COVID-19 restrictions.

► Synthesis / reaction ► Fermentation

Please contact 3M for latest product availability

MAINTENANCE TASKS

API production/(bio-) synthesis

Pharmaceutical Industry product range







Page	Product Description	Product Code	Product in website
3	3M™ Versaflo™ S-Series Hood, Large, S-433L	10450180	+
3	3M [™] Versaflo [™] S-Series Hood, Small, S-433S	10357839	+
3	3M™ Aura™ Disposable Respirator, FFP2, Valved, 9322+	10116544	+
3	3M™ Aura™ Disposable Respirator, FFP2, Unvalved, 9320+	10583051	#
3	3M™ Aura™ Disposable Respirator, FFP1, Valved, 9312+	12672545	+
3	3M™ Aura™ Disposable Respirator, FFP1, Unvalved, 9310+	11717574	+
3	3M™ Aura™ Disposable Respirator, FFP3, Valved, 9332+	11346974	±
3	3M™ Aura™ Disposable Respirator, FFP3, Unvalved, 9330+	12602555	+
3	3M™ Versaflo™ Powered Air Turbo Starter Kit, TR-619E	15559255	+
3	3M™ Versaflo™ Powered Air Turbo Starter Kit, TR-619UK	15710088	+
3	3M™ Versaflo™ Powered Air Purifying Respirator Starter Kit, Intrinsically Safe, TR-819E, 1 EA/Case	16358981	+
3	3M™ Versaflo™ Intrinsically Safe Powered Air Turbo Starter Kit TR-819UK	16426370	+
3	3M [™] Secure Click [™] Half Facepiece Reusable Respirator with Speaking Diaphragm HF-802SD Medium	16446370	+
3	3M™ Secure Click™ Half Facepiece Reusable Respirator with Speaking Diaphragm HF-803SD Large	16476370	+
3	3M™ Secure Click™ Half Facepiece Reusable Respirator with Speaking Diaphragm HF-801SD Small	16486370	+
4	3M™ Protective Coverall, 4520- L	12642565	+
4	3M™ Protective Coverall, 4520- XL	12642595	+
4	3M™ Protective Coverall, 4520-2XL	12652595	+
4	3M™ Protective Coverall, 4565-L	13473336	+
4	3M™ Protective Coverall, 4565-XL	12682595	+
4	3M™ Protective Coverall, 4565-2XL	12692595	+
4	3M™ Protective Coverall, 4510-L	12962315	+
4	3M™ Protective Coverall, 4510-XL	12972315	+
4	3M™ Protective Coverall, 4510-2XL	12982315	+
4	3M™ Protective Coverall 4520CS, XL	15700068	+
4	3M™ Protective Coverall 4520CS, L	15720068	+
4	3M™ Protective Coverall 4520CS, 2XL	15730068	+

Pharmaceutical Industry product range







Page	Product Description	Product Code	Product in website
5	EX-01-001 EXPRESS CORDED CEN 400 PR/CASE	15729047	+
5	EX-01-002 EXPRESS - UNCRDD CEN 400 PR/CS	12394749	+
5	3M™ E-A-R™ Ultrafit™ 20 Earplugs	11709315	+
5	X1A EU EARMUFF HEADBAND 3M PELTOR	13479918	+
5	X2A EU EARMUFF HEADBAND 3M PELTOR	13489918	+
5	MT53H7A4400-EU LiteCom PMR 446 MHz headb	15749997	+
5	MT53H7P3E4400-EU LiteCom PMR 446 MHz	15759997	+
5	MT53H7B4400-EU LiteCom PMR 446 MHz neckb	15769997	+
6	3M™ Goggle Gear™ 500 Safety Goggles, neoprene headband, Scotchgard™ Anti-Fog / Anti-Scratch Coating (K&N), Clear Lens, GG501NSGAF-EU	17227680	+
6	3M™ Goggle Gear™ 500 Safety Goggles, Scotchgard™ Anti-Fog / Anti-Scratch Coating (K&N), GG501SGAF-EU	15603074	±
6	3M™ Solus™ 1000 Safety Glasses, Green/Black frame, Scotchgard™ Anti-Fog / Anti-Scratch Coating (K&N), Clear Lens, S1201SGAF-EU	15707717	+
6	3M™ Solus™ 1000 Safety Glasses, Blue/Black frame, Scotchgard™ Anti-Fog / Anti-Scratch Coating (K&N), Clear Lens, S1101SGAF-EU	15767717	+
6	3M™ SecureFit™ 400 Safety Glasses, Red/Grey frame, Scotchgard™ Anti-Fog / Anti-Scratch Coating (K&N), Clear Lens, SF401SGAF-RED-EU	17267660	+
6	3M™ SecureFit™ 400 Safety Glasses, Blue/Grey frame, Scotchgard™ Anti-Fog / Anti-Scratch Coating (K&N), Clear Lens, SF401SGAF-BLU-EU	17207670	+
6	3M™ SecureFit™ 400X Safety Glasses, Green/Clear frame, Scotchgard™ Anti-Fog / Anti-Scratch Coating (K&N), Clear Lens, SF401XSGAF-GRN-EU	16416380	+
6	3M™ SecureFit™ 400X Safety Glasses, Blue/Grey frame, Scotchgard™ Anti-Fog / Anti-Scratch Coating (K&N), Clear Lens, SF401XSGAF-BLU-EU	16426380	+
6	3M™ SecureFit™ 3700 Overspectacles, Blue Frame, Scotchgard™ Anti-Fog / Anti-Scratch Coating (K&N), Clear Lens, SF3701SGAF-BLU-EU	16863563	+
6	3M [™] SecureFit [™] 3700 Overspectacles, Lime Green Frame, Scotchgard [™] Anti-Fog / Anti-Scratch Coating (K&N), Clear Lens, SF3701SGAF-GRN-EU	16893563	+
6	3M [™] SecureFit [™] 3700 Overspectacles, Blue Frame, Brow Guard, Scotchgard [™] Anti-Fog / Anti-Scratch Coating (K&N), Clear Lens, SF3701XSGAF-BLU-EU	17237710	•
6	3M™ SecureFit™ 3700 Overspectacles, Orange Frame, Scotchgard™ Anti-Fog / Anti-Scratch Coating (K&N), Clear Lens, SF3701SGAF-ORG-EU	16833573	±
7	3M™ WP98 Series Visor, Acetate, Clear, 71340-0000CP	15709847	±
7	5F-11, FACE SHIELD, PC, CLEAR	15170229	#
7	3M [™] Helmet Integrated Safety Glasses, Clear, V9C	17237640	+
7	X5501V-CE SF HELMET WHT VENT 4/CS	17297670	+
7	U5B-CE FACESHIELD HOLDER 10/CS	17207680	+

DISCLAIMER

This guide is only an outline. It should not be used as the only means for selecting a personal protective equipment (PPE). Details regarding performance and limitations are set out on the PPE packaging and user instructions. Before using any item of PPE, the wearer must read and understand the user instructions for each product.

Specific country legislation must be observed. Please note that the applications shown highlight some of the hazards which may be considered. Selection of the most appropriate PPE will depend on the particular situation and should be made only by a competent person knowledgable of the actual working conditions and the limitations of PPE.

Specific country legislation must be observed. The use of Isocyanates may require use of supplied air respiratory protective equipment. The use of solvent based paints and chemicals may require use of ATEX approved or other suitable personal protective equipment.



www.3m.co.uk

Safety & Industrial Business Group 3M United Kingdom PLC 3M Centre Cain Road, Bracknell Berkshire RG12 8HT

© 3M 2020.

3M, ETS, Secure Click, E-A-R, UltraFit, Secure Fit, Solus, VHB, Scotch-Brite, Aura, Versaflo, Scotchgard, SecureFit, Google Gear, E-A-R, Peltor, DBI SALA, Sealed Blok, Delta, Attest, Comply, SteriGage, Dual Lock, Safety-Walk, Nomad, Scotchgard and Easy Trap are trademarks of 3M Company. All rights reserved.



Available from:



For more details please contact your Fisher Scientific representative or use our Help & Support center