



Protecting What Matters Most



Fisher Scientific Chemical Handling and Management


A portfolio of more than 80,000 items

 **fisher scientific**
part of Thermo Fisher Scientific

Ansell

FOCUS ON SAFETY

to improve business performance



LEARN HOW FTSE 100 COMPANIES OPTIMISED SAFETY, PRODUCTIVITY, AND COSTS WITH ANSELL GUARDIAN.

Ansell Guardian® is a global consulting service helping FTSE 100 companies select the right PPE solutions to improve their business performance. With 40 years of experience, we operate in more than 55 countries and have conducted over 12,000 assessments for companies like yours.

➔ Please register at fishersci.com/ansellguardian or fishersci.ca/ansellguardian to schedule a call or visit with your Fisher Scientific sales representative and an Ansell Guardian specialist.

Ansell **GUARDIAN**®



Protecting What Matters Most

Your people and the work they do are your biggest investments. Help keep them safe and productive with the products you need to **prepare, prevent, protect, and respond.**



Chemical Handling and Management

Personal Protective Equipment	2-8	Emergency Response	9
Apparel.....	2	Label Makers and Signs.....	11
Hand Protection.....	5	Hazardous Material Storage and Containment	13
Respiratory Protection	8		





Chemical Handling and Management

Personal Protective Equipment



3M™ Polycarbonate Faceshields

Dual-Coat Technology

Offer a durable, abrasion-resistant hardcoat on the outside and an anti-fog coating on the inside.

- Window thickness: 0.075 in.
- Simple attachment — no cams, straps, or buckles

Compliance: Meet high-impact requirements of ANSI Z87.1-2003-10

Description	Mfr. No.	Cat. No.	Quantity
Clear Faceshield	82600	19-040-051	Each
			10/Case



3M Organic Vapor Monitors

Record Time-Weighted Average

Measure time-weighted average (TWA) vapor concentrations with these lightweight, self-contained monitors.

- Monitor 3500 measures TWA for eight-hour periods; simply use and return to your closest AIHA accredited lab.
- Monitor 3520 collects data for independent laboratory analysis
- Shelf life: 18 months from manufacture date

Uses: Factories, industrial settings, and histology, cytology, and clinical labs

Compliance: Meet or exceed OSHA accuracy requirements of ±25% for many workplace contaminants

Description	Mfr. No.	Cat. No.	Quantity
Monitor Only	3500	10-030-80	10/Case
Monitor with Backup	3520	17-985-363A	5/Case

Note: Data is available for more than 135 vapors. Contact 3M customer service at 1-800-772-6733 for a complete listing of sampled organic compounds.

3M Disposable Chemical Protective Coveralls 4565

Disposable Chemical Protection

Protect against hazardous dusts, light liquid chemical splashes, and low-pressure sprays.

- Elastic waist, ankles, and wrists with knit cuffs
- Three-panel hood and two-way zipper with storm flap
- Anti-static coating (both sides)
- Taped seams

Uses: Paint spraying, industrial and pharmaceutical manufacturing, asbestos inspection and handling, and medical applications

Compliance: Meet ASTM F739 and F1760, EN 14605, EN 13034, EN ISO 13982-1, EN 1149-1:2006, EN 1073-2:2002, EN 14126:2003

Size	Mfr. No.	Cat. No.	Quantity
Medium	4565M	17-623-359	20/Case
Large	4565L	17-623-360	20/Case
X-Large	4565XL	17-623-361	20/Case
4X-Large	45654XL	17-623-364	25/Case

Latex and Silicone Free



Ansell™ MICROCHEM by Alphatec Coveralls

Bright Yellow for Visibility

Maintain an excellent barrier against harmful chemicals and blood, bodily fluids, and bloodborne pathogens. Available with hood only or hood and attached socks.

- Durable, lightweight barrier laminate fabric with ultrasonically welded seams
- Two-way front zipper with storm flap
- Elastic waist, wrists, and ankles with double cuffs
- Attached, respirator-fit hood

Uses: Environmental clean-up, sewage purification installations, composites, and manufacturing

Compliance: Meet EN 1073-2, EN 1149-5 / AATCC 76, ANSI/ISEA 101, EN ISO 13982-1 Type 5-B, ISO 17491-4 Type 6-B, EN 14126 / ASTM F1671; coveralls with socks also meet EN 14605 Type 3-B, EN 14605 Type 4-B



Size	Mfr. No.	Cat. No.	Quantity
Coveralls with Hood (68-2300)			
Medium	YY23B9211103	17-999-909	25/Case
Large	YY23B9211104	17-999-910	25/Case
X-Large	YY23B9211105	17-999-911	25/Case
2X-Large	YY23B9211106	17-999-912	25/Case
3X-Large	YY23B9211107	17-999-913	25/Case
4X-Large	YY23B9211108	17-999-914	25/Case

Size	Mfr. No.	Cat. No.	Quantity
Coveralls with Hood and Socks (68-3000)			
Small	YE30W9212202	18-000-004	6/Case
Medium	YE30W9212203	18-000-005	6/Case
Large	YE30W9212204	18-000-006	6/Case
X-Large	YE30W9212205	18-000-007	6/Case
2X-Large	YE30W9212206	18-000-008	6/Case
3X-Large	YE30W9212207	18-000-009	6/Case
4X-Large	YE30W9212208	18-000-010	6/Case
5X-Large	YE30W9212209	18-000-011	6/Case

Contains Latex

Ansell™ AlphaTec™ Chemical-Resistant Jackets and Bib Pants

Lightweight, Breathable Garments

Made with CPC polyester Gore™ ChemSplash™ fabric to reduce overheating and fatigue. All seams are stitched and pressure sealed to prevent penetration and to create a durable, flexible, tear- and snag-resistant garment that's washable and reusable.

- Jacket has a stand-up collar, raglan sleeves, a heavy-duty zipper, and double-storm flap closures, and is sized to fit comfortably over other clothing
- Bib pants have elastic suspenders with quick-release clips
- Hook-and-loop closures on bib pant legs and on jacket collar, sleeves, and storm flap

Uses: Industrial, bulk chemical handling and transport, chemical plants and transportation, chemical processing, oil refining and petrochemicals, and specialty chemical handling

Compliance: Certified according to NFPA 1992-2012, Liquid Splash-Protective Clothing for Hazardous Materials Emergencies



Description	Size	Mfr. No.	Cat. No.	Quantity
Jacket	Large	66660L966403	17-987-448D	5/Case
Bib Pants	Large	66662L966410	17-987-449D	5/Case

Ansell™ AlphaTec™ 56-512 Hycar™ Nitrile/PVC Aprons

Better Hydrocarbon Resistance

Constructed of heavy-weight black nitrile/PVC blend material with a double-thick top edge.

- Four metal grommets
- Neck string and waist ties
- Material thickness: 17 to 19mil

Uses: Animal fats and greases (especially in cold conditions), chemical processing, medical and pharmaceutical applications, and in research labs



Dimensions (L x W)	Mfr. No.	Cat. No.	Quantity
45 x 35 in. (114 x 89cm)	950290	17-987-107B	Each
			12/Case

Ansell AlphaTec 56-400 Supported Neoprene Aprons

Excellent Chemical Resistance

Lightweight and nylon reinforced for rugged wear with a double-thick top edge.

- Four metal grommets
- Neck string and waist ties
- Hemmed edges
- Material thickness: 16 to 17mil



Dimensions (L x W)	Mfr. No.	Cat. No.	Quantity
45 x 35 in. (114 x 89cm)	950264	19-068-943	12/Case

Ansell AlphaTec 38-514 Butyl Immersion Gloves

Protect Against Chemicals

Provide reliable resistance to aggressive chemicals without compromising dexterity or comfort.

- Cuff style: beaded/rolled
- Finish/grip: rough
- Thickness: 14mil
- Length: 14 in. (35.5cm)

Uses: Protection against aldehydes, ketones and esters, and concentrated mineral acids

Compliance: ANSI 3, EN ISO 374-1, EN 388-1000X, CE 0493



Size*	Mfr. No.	Cat. No.	Quantity
8	38514080	19-161-432B	Pair
9	38514090	19-161-432C	36 Pair/Case

*Additional sizes (7 and 10) available. Contact your Fisher Scientific sales representative for details.

Ansell AlphaTec 38-612 Viton/Butyl Chemical Handling Gloves

Optimal Chemical Protection

Designed with viton layered over butyl to create a lower-cost glove that delivers ergonomic design and tactile sensitivity.

- Cuff style: beaded
- Finish/grip: smooth
- Thickness: 12mil
- Length: 12 in. (30.5cm)

Uses: Extra protection for handling aromatic chemicals and chlorinated solvents

Compliance: ANSI 3, EN ISO 374-5, EN 388-1010, CE 0493



Size	Mfr. No.	Cat. No.	Quantity
10	386121000	19-162-033	Dozen or 3 Dozen/Case

Ansell™ Sol-Knit™ 39-122 Nitrile Heavy-Duty Gloves

Interlocked Cotton Liner

Mechanical and chemical protection for a wide variety of work environments.

- Cuff style: gauntlet
- Finish/grip: rough
- Thickness: 47mil
- Length: 12 in. (30.5cm)

Compliance: ANSI 4, ANSI A1, EN ISO 374-4, CE 0086, EN 388-4111



Size	Mfr. No.	Cat. No.	Quantity
7	217804	19-806-114	Pair or 72 Pair/Case
8	39124/8	19-806-115	
9	39124/9	19-806-116	
10	39124/10	19-806-117	

Ansell™ Solvex™ 37-175 Nitrile Immersion Gloves

For Wet or Dry Environments

Chemical and abrasion resistant and fully reusable with inside cotton flocking for comfort.

- Cuff style: gauntlet
- Finish/grip: sandpunch
- Thickness: 15mil
- Length: 13 in. (32.5cm)

Compliance: Meet FDA food handling requirements, 21 CFR, PARTS 177-2600; ANSI 4, EN ISO 374-1, EN 388-4101, CE 0086



Size	Mfr. No.	Cat. No.	Quantity
7	117274	11-391-139B	Dozen or 12 Dozen/Case
8	117275	11-391-139C	
9	117274	11-391-139D	
10	117275	11-391-139E	

Ansell™ TouchNTuff™ 92-605 Chemical Resistant Nitrile Gloves

Proven Splash Resistance

Made with a proprietary Ansell formulation, these gloves offer enhanced protection against hazardous chemicals as well as exceptional comfort and durability.

- Cuff style: beaded/rolled
- Finish/grip: textured
- Thickness: 4.7mil palm, 5.5mil fingers
- Length: 11.8 in. (30cm)
- AQL: 1.5

Compliance: Meet FDA food handling requirements, 21 CFR, PARTS 177-2600; EN 420, EN 374/1,2,3, CE 0493



Latex Free

Size	Mfr. No.	Cat. No.	Quantity
Small	588080	19-148-540	100/Pack or 10 Packs/Case
Medium	588081	19-148-541	
Large	588082	19-148-542	
X-Large	588083	19-148-543	

Ansell 29-865 Unsupported Neoprene Gloves

Better Grip with Embossed Finish

Resistant to abrasion and a wide range of chemicals, including oils, acids, caustics, and solvents, and designed with curved fingers, contoured palms, and a cotton-flock lining.

- Cuff style: straight
- Finish/grip: sandpatch
- Thickness: 18mil
- Length: 13 in. (33cm)

Compliance: Meet FDA food handling requirements, 21 CFR, PARTS 177-2600; ANSI 3, EN ISO 374-5, CE 0493



Latex Free

Size	Mfr. No.	Cat. No.	Quantity
7	298657	11-391-130A	Pair or 144 Pair/Case
8	298658	11-391-130B	
9	298659	11-391-130C	
10	2986510	11-391-130D	

Microflex™ Dura Flock™ DFK-608 Flock-Lined Nitrile Gloves

Fully Textured

Constructed for long-lasting comfort, the ultrathin flock lining keeps hands dry. These gloves are powder-free, ambidextrous, and nonsterile.

- Cuff style: beaded/rolled
- Finish/grip: smooth
- Cuff thickness: 5.9mil
- Palm and finger thickness: 8mil
- Length: 10.6 in. (27.0cm)
- AQL: 2.5

For industrial use only.



Latex Free

Size	Mfr. No.	Cat. No.	Quantity
Small	DFK608S	19-045-860	50/Pack or 10 Packs/Case
Medium	DFK608M	19-045-861	
Large	DFK608L	19-045-862	
X-Large	DFK608XL	19-045-863	
2X-Large	DFK608XXL	19-045-864	



Latex Free

Microflex™ Supreno™ SE SU-690 Powder-Free Nitrile Exam Gloves

Advanced Barrier Protection

Provide unparalleled strength, durability, and comfort with an interior polymer coating for easy donning and non-stick properties to resist tape and adhesives.

- Cuff style: beaded
- Palm thickness: 4.3mil
- Finish/grip: textured fingers
- Length: 9.6 in. (24cm)
- Fingertip thickness: 7.1mil
- AQL: 0.65

Compliance: Meet or exceed ASTM D 6319 standards; EN 455 1,2,3; EN 374-4, 3. EN 420. FDA 510 (K) approved for medical use

Size	Mfr. No.	Cat. No.	Quantity
X-Small	SU690XS	19-048-723AA	100/Pack or 10 Packs/Case
Small	SU690S	19-048-723A	
Medium	SU690M	19-048-723B	
Large	SU690L	19-048-723C	
X-Large	SU690XL	19-048-723D	



Contains Latex

Microflex™ ColorTouch™ Pink Latex Examination Gloves

Medical-Grade Protection

Gloves are constructed with powder-free premium latex, polymer coated for easy donning, and feature a relaxed fit for reduced hand fatigue. They are single use, ambidextrous, and nonsterile.

- Cuff style: beaded
- Palm thickness: 5.9mil
- Finish/grip: fully textured
- Length: 9.6 in. (24cm)
- Fingertip thickness: 6.7mil
- AQL: 1.5

Compliance: Meet ASTM D 3578 standards; FDA 510 (K) approved for medical use

Size	Mfr. No.	Cat. No.	Quantity
X-Small	CTP233XS	19-045-865	100/Pack or 10 Packs/Case
Small	CTP233S	19-045-866	
Medium	CTP233M	19-045-867	
Large	CTP233L	19-045-868	



Bel-Art™ Poxygrid™ Glove Dispenser Racks

Include Mounting Hardware

Epoxy-coated wire steel racks keep gloves handy and are available in one-, two-, or three-box capacities.

Capacity	Dimensions (L x W x H)	Mfr. No.	Cat. No.	Quantity
1 Box	5.5 x 5 x 8.25 in. (4 x 12.7 x 21cm)	F247390001	03-410-627	Each
2 Boxes	12 x 4 x 8.25 in. (30.5 x 19.7 x 21cm)	F247390002	03-410-628	Each
3 Boxes	17.5 x 2.25 x 8.25 in. (43.2 x 15.2 x 21cm)	F247390003	03-410-629	Each

SafetySkills™ Training Program Work Smarter

Experience all the benefits of a comprehensive workplace safety training program for a fraction of the cost.

SafetySkills offers flexible plans, affordable pricing, as well as customization and branding options for every budget.



Visit fishersci.com/safetyskills or fishersci.ca/safetyskills to learn more.



MSA™ Advantage™ 4000 Twin-Port Full Facepieces

Versatile Respiratory Protection

Two bayonet cartridge adapters are mounted directly onto the facepiece for compatibility with all MSA Advantage cartridges and filters. Use facepiece with APR, SCBA, and PAPR respirators.

- Left and right cartridge/filter mounting locations
- Hycar rubber facepiece with Kevlar™ net head harness
- Standard nose cup with twin inhalation check valves

Compliance: NIOSH approved under 42 CFR 84

Description	Mfr. No.	Cat. No.	Quantity
Small	10108570	17-200-090	Each
Medium	10108568	17-200-088*	Each
Large	10108572	17-200-092*	Each

*U.S. Only

Latex Free



MSA Advantage 420 Half-Mask Respirator Assembly

For Bayonet or Threaded Cartridges

Designed for use with appropriate cartridges and filters.

- Lock-down harness position with drop-down position for removal
- One-piece ComforTop™ cradle headband
- One-piece silicone facemask for improved seal

Compliance: NIOSH approved under 42 CFR 84

Description	Mfr. No.	Cat. No.	Quantity
Bayonet Style			
Small	10102182	19-825-000	Each
Medium	10102183	19-825-001	Each
Large	10102184	19-825-002	Each
Threaded Style			
Small	10119576	17-200-086	Each
Medium	10119575	17-200-085	Each
Large	10119574	17-200-084	Each

MSA Advantage Cartridges

Lightweight for Comfort

Provide maximum protection and offer easy installation of particulate, chemical, and combination cartridges using bayonet-style mounts.

- Cartridges lock into place with a single twist
- Use with MSA Advantage 200LS, 420, 1000, 4000, and 3200 respirators
- Check with manufacturer for filter compliance requirements



Cartridge Description	Mfr. No.	Cat. No.	Quantity
Organic Vapor/Acid Gas, P100	815364	18-999-3807	2/Pack
Organic Vapor/Acid Gas, P100: Ammonia/Methylamine/Formaldehyde/Hydrogen Fluoride	815366	19-003-230	2/Pack
Organic Vapor/Acid Gas: Ammonia/Methylamine/Formaldehyde/Hydrogen Fluoride	815359	19-033-002B	2/Pack

Chemical Handling and Management

Emergency Response

ZOLL™ Medical AED Plus™ Fully Automatic Defibrillator

Real-Time Feedback with CPR Help Technology

The AED Plus guides rescuers with CPR Help™ technology, providing real-time feedback on compression rate and depth. It features a unique one-piece electrode pad that is powered by lithium camera batteries, and both the pad and the batteries have a five-year shelf life.

The PlusTrac™ system can be accessed online to manage one AED or 100, including retraining reminders, access to a document library, and physician support.

Description	Mfr. No.	Cat. No.
AED Plus with Cover, PlusTrac Professional1, CPR-D-padz™ Electrode, 10 Pack of Batteries, and Carrying Case	800000401001	17-300-104



Fisherbrand™ 50-Person Class A First Aid/Burn Kit

Metal Case

Provides a basic range of products to address workplace injuries, including major and minor cuts and abrasions and minor burns and eye injuries.

- Ideal for any small setting
- Can be wall mounted

Cat. No.	Quantity
19-090-860	Each

U.S. Only



Streamlight™ 4AA ProPolymer™ LED Flashlight

Virtually Indestructible

This water- and shock-resistant flashlight runs for up to 155 hours and is corrosion proof, non-conductive, and lightweight.

- Seven white LEDs, 100,000-hour lifetime, 67 lumens
- Push-button tail switch for one-handed use, scratch-resistant PC lens
- Includes four AA alkaline batteries and a wrist lanyard

Compliance:

U.S.: UL Listed for Class I, Division 1; Class I, II, Division 2; Class III

Canada: UL listed for Class I, II, Division 2; Class III



Description	Mfr. No.	Cat. No.
Color: Yellow, Length: 6.5 in., Weight: 7.6 oz.	68202	19-230-248

Haws™ Emergency Shower and Eye/Face Wash Station

Designed for Easy Maintenance

Durable station, featuring an AXION™ MSR eye/face showerhead, an 11 in. (28cm) stainless-steel bowl, and a 9 in. (23cm) floor flange. The station itself is marked with a universal emergency sign and high-visibility stripe.

- Pre-built and water-pressure-tested eyewash and valve assembly
- Type 304 corrosion-resistant, stainless-steel construction

Compliance: Certified by CSA to meet ANSI Z358.1 2014 requirements



Description	Mfr. No.	Cat. No.
Includes: Stainless-Steel Shower Head, Anti-Surge Soft-Flo™ Eyewash Head, Stainless-Steel Facewash Ring and Ball Valve, Receptacle Bowl, Floor Flange, Universal Emergency Sign, High-Visibility Stripe	8330	17-161-1A



Haws Portable Eyewash

Gravity Operated

The 9 gal. (34L) capacity offers 15 minutes of full pattern flushing at 0.4gpm.

- Wide-fill opening with threaded cap for easy inspection, cleaning, and filling
- Fold-down covers protect spray outlets when not in use
- Designed for wall-mounted installation (bracket included)
- Water additive sold separately

Compliance: Certified by CSA to meet ANSI Z358.1-2014 requirements

Description	Mfr. No.	Cat. No.
Portable Eyewash with FDA Approved Green HDPE Tank	7501	19-823-280
Sterile Eyewash Preservative	9082	17-987-10

U.S. Only



Chemical Handling and Management

Label Makers and Signs

Brady™ BradyPrinter S3100 Sign and Label Printer

Print on Hundreds of Materials

Drag-and-drop design and large touchscreen display lets you create labels quickly and easily.

- Full-size QWERTY keyboard with PC or stand-alone operation
- Supplies change out in seconds
- Smart chip sends label information directly to printer
- Library of premade labels, templates, and design wizards included
- Warranty: five years

Compliance: Help meet RoHS 2002/95/EC, 2005/618/EC MCV, NFPA



The following kits include a BradyPrinter S3100, Brady Workstation SFID software suite, power cord, USB cable, drivers CD, stylus, cleaning kit, cutter cleaning tool, quick-start guide, and a documentation holder.

Description	Includes	Mfr. No.	Cat. No.
Arc Flash Warning Kit	White ANSI Warning Header Labels, White Raised Panel Labels, Orange Vinyl Labels, and Black Print Ribbons	S3100WARCKIT	19-211-188
Pipe ID Kit	Yellow, Green, Red, Blue, and White Vinyl Labels, Black Raised Panel Labels, Blank Valve Tags, and White and Black Print Ribbons	S3100WPIPEKIT	19-211-191
5S Lean Kit	White and Yellow Vinyl Labels, White Repositionable Labels, White Magnetic Labels, Blank Valve Tags, White Labels, ANSI Caution Header Labels; Black, Red, Green, and Blue Print Ribbons	S3100WLEANKIT	19-211-190
Safety and Compliance Kit	ANSI Danger, Warning, Caution, and Notice Header Labels; Photo Luminescent Labels, RTK NFPA Labels, and Black and Red Print Ribbons	S3100WSAFEKIT	19-211-189
General Industrial Kit	White and Yellow Vinyl Labels, Black Raised Panel Labels, ANSI Danger and Caution Header Labels, Yellow Reflective Labels, White Tag Stock Labels; Black, White, and Red Print Ribbons	S3100WGENKIT	19-211-192

Brady™ Globally Harmonized System (GHS) Labeling Kit

For Training and Compliance

Kit contains supplies needed for employee training and reference materials for ongoing regulatory changes required to meet the Hazard Communication Standard.

Includes:

- GHS HazCom Labeling Program Kit
- GHS Introduction Poster Pack
- BBP33 Label Printer with AutoCutter™ and MarkWare™ Software
- GHS Reference Center Poster
- SDS Binder Centers
- GHS Wallet Cards




Size	Mfr. No.	Cat. No.
GHS Labeling Kit	Y3384873	19-041-050
Replacement Kit Components		
BBP33 Label Printer with Software <ul style="list-style-type: none"> • Automatic set-up means no calibration, adjustment, or label waste • "Drop-in" media formats for easy material changeovers • Includes Brady360™ five-year warranty 	BBP33C	19-140-592
Brady Workstation GHS Application CD <ul style="list-style-type: none"> • Create and print any size GHS label • For secondary container and chemical labeling • Brady™ GHS Labels app available 	BWRKRGHSDWN	19-112-937
Brady 2 x 3" Pre-Printed 4-Diamond GHS Labels <ul style="list-style-type: none"> • Designed with vinyl film that withstands exposure to moisture, chemicals, and handling 	B302607569CLP4B	19-140-722
Brady BBP Heavy-Duty Print Ribbon	B30R10000	19-211-103
GHS Reference Center Poster <ul style="list-style-type: none"> • Dimensions (H x W): 25.5 x 39.5 in. (65 x 100cm) 	133209	19-141-908
SDS Binder Center <ul style="list-style-type: none"> • Includes an SDS binder, "Right to Know" Compliance Center backboard, and yellow wire rack • Dimensions (H x W x D): 20 x 14 x 4.5 in. (51 x 36 x 11cm) 	121370	19-141-530
GHS Wallet Cards <ul style="list-style-type: none"> • Size (W x H): 2.1 x 3.4 in. (5.3 x 8.9cm) • 10 cards/pack 	133208	19-141-907

Brady GHS Labels

Pictogram Labels

Die-cut GHS pictogram labels alert employees to potential chemical dangers in your facility.

- Durable vinyl film with permanent acrylic adhesive
- Adhere to rough and highly textured surfaces
- Chemical-, oil-, and water-resistant material
- Average three-year outdoor durability
- Dimensions (H x W): 0.625 x 0.625 in. (1.6 x 1.6cm)



Pictogram Description	Mfr. No.	Cat. No.	Quantity
Compressed Gas	118833	19-140-515	39/Pack
Corrosives	118839	19-140-516	39/Pack
Environmental Hazard	118863	19-140-520	39/Pack
Explosive	118815	19-140-512	39/Pack
Flammable	118821	19-140-513	39/Pack
Health Danger	118851	19-140-518	39/Pack
Oxidizer	118827	19-140-514	39/Pack
Toxic (Acute)	118857	19-140-519	39/Pack
Toxic (Severe)	118845	19-140-517	39/Pack



Hazardous Material Storage and Containment

Brady SPC Re-Form Universal Sorbent Pads



General-Purpose Absorbance

Unique composition absorbs up to 50% more than traditional meltblown polypropylene sorbents.

- Netted for extra durability
- For indoor or dry-weather outdoor use
- Not for use with highly aggressive acids and caustics

Compliance: Help meet EPA 40 CFR 112.7(c)(1)(viii); OSHA 29 CFR 1910.120(j)(1)(vii); OSHA 29 CFR 1910.22(a)(2)

Description	Capacity	Mfr. No.	Cat. No.	Quantity
With Perforations, 15 x 19 in. (38 x 48cm)				
Light	24 gal. (91L)	RFP500	19-190-055	100/Case
Medium	32 gal. (121L)	RFP300	19-190-054	100/Case
Heavy	40 gal. (151L)	RFP100	19-190-053	100/Case
Without Perforations, 15 x 19 in. (38 x 48cm)				
Light	24 gal. (91L)	RF500	19-190-052	100/Case
Medium	32 gal. (121L)	RF300	19-190-051	100/Case
Heavy	40 gal. (151L)	RF100	19-190-050	100/Case

Brady™ BrightSorb™ High-Visibility Pillows



Chemically Inert

Surfactant-treated polypropylene pillows designed for use with a wide range of chemicals, acids, and bases without a reaction. Color and print help prevent slips, trips, and falls.

Compliance: Help meet EPA 40 CFR 112.7(c)(1)(viii); OSHA 29 CFR 1910.120(j)(1)(vii); OSHA 29 CFR 1910.22(a)(2)

Capacity	Dimensions	Mfr. No.	Cat. No.	Quantity
14 gal. (53L)	18 x 18 in. (20 x 20cm)	CH1818	19-000-677	16/Case

Brady BrightSorb High-Visibility, Pads



Color-Coded Cleanup

Perforated, surfactant-treated polypropylene pads absorb a wide range of chemical spills.

Compliance: Help meet EPA 40 CFR 112.7(c)(1)(viii); OSHA 29 CFR 1910.120(j)(1)(vii); OSHA 29 CFR 1910.22(a)(2)

Description	Capacity	Dimensions	Mfr. No.	Cat. No.	Quantity
Light	28 gal. (106L)	15 x 19 in. (38 x 48cm)	CH200	19-103-101	200/Case
Heavy	22 gal. (83.3L)		CH100	19-150-260 (U.S.) 29-636-2243 (Canada)	100/Case

Brady BrightSorb High-Visibility SOCs



Won't React to Aggressive Fluids

Constructed with surfactant-treated polypropylene for use with a variety of chemicals, including hydrofluoric acid. Flexible design is easily molded around spills, and the color and print help prevent slips, trips, and falls.

Compliance: Help meet EPA 40 CFR 112.7(c)(1)(viii); OSHA 29 CFR 1910.120(j)(1)(vii); OSHA 29 CFR 1910.22(a)(2)

Capacity	Dimensions (Dia. x L)	Mfr. No.	Cat. No.	Quantity
12 gal. (45.4L)	3 in. x 4 ft. (7.6 x 1.2m)	CH412	19-000-678	12/Case
12 gal. (45.4L)	3 in. x 12 ft. (7.6 x 3.7m)	CH124	19-000-676	4/Case

Brady™ Hazwik™ Lab Pack Kits

For a Range of Chemical Spills

Ideal for responding quickly to critical accidents, this kit contains chemically inert, surfactant-treated, and brightly colored absorbent products to use with a range of aggressive chemicals.

- Screw-topped drum is UN-approved, tough, secure, and reusable
- Kits should be kept in areas prone to spills to improve worker safety

Compliance: Help meet EPA 40 CFR 112.7(c)(1)(viii); OSHA 29 CFR 1910.120(j)(1)(vii); OSHA 29 CFR 1910.22(a)(2)



Description	Capacity	Dimensions (Dia. x H)	Mfr. No.	Cat. No.	Quantity
30 gal. Lab Pack Kits for Small/Medium Spills					
Includes: 25 Pads, 6 SOCs, 6 Pillows, 1 Pair of Gloves, 3 Disposal Bags, 1 Pair of Goggles, and an Emergency Response Handbook	29 gal. (110L)	28.5 x 21.2 in. (184 x 54cm)	SKH30	19-000-191	Each
65 gal. Lab Pack Kits for Medium/Large Spills					
Includes: 100 Pads, 7 SOCs, 7 Pillows, 1 Pair of Gloves, 5 Disposal Bags, 1 Pair of Goggles, and an Emergency Response Handbook	63 gal. (238.5L)	33.5 x 31 in. (85 x 79cm)	SKH65	19-000-194	Each



Brady Hazwik Chemical Spill Kaddie Kit

Mobile Spill Response

Water- and chemical-resistant kit designed for quick use and convenient storage in tight spaces.

Includes: 1 Roll, 5 SOCs, 8 Pillows, 1 Pair of Nitrile Gloves, 5 Disposal Bags, 1 Pair of Goggles, and an Emergency Response Handbook

Compliance: Helps meet EPA 40 CFR 112.7(c)(1)(viii); OSHA 29 CFR 1910.120(j)(1)(vii); OSHA 29 CFR 1910.22(a)(2)

Capacity	Dimensions (H x W x D)	Mfr. No.	Cat. No.	Quantity
22 gal. (83.3L)	39 x 17 x 18 in. (99 x 43 x 46cm)	SKHK2	17-111-226 (U.S.)	Each
			29-635-1512 (Canada)	



Brady Acid-Neutralizing Chemical Spill Kit

Color Change Indicates Neutralization

Designed specifically for acid spills, absorbent polymers will indicate neutralization by changing to a purple color.

Includes: 6.5 gal. Bucket, 2 Disposal Bags, 1 (2 lb.) Shaker of Acid Neutralizer, 10 Absorbent Pads (15 x 19 in.), 2 SOCs (3 in. x 4 ft.), 1 Pair of Goggles, 1 Pair of Nitrile Gloves, 1 Tyvek™ Suit, and 1 Small Scoop

Compliance: Helps meet EPA 40 CFR 112.7(c)(1)(viii); OSHA 29 CFR 1910.120(j)(1)(vii); OSHA 29 CFR 1910.22(a)(2)

Capacity	Dimensions (H x Dia.)	Mfr. No.	Cat. No.	Quantity
4.5 gal. (17L)	18 x 14 in. (46 x 36cm)	SKABKTACID	19-140-747	Each



Justrite™ Sure-Grip™ EX Flammable Safety Cabinet, 45 gal.

Double-Wall Construction

Bright yellow with high-visibility Haz-Alert™ reflective warning labels for added safety during power outages or fires.

- Dual vents with flame arresters for hazardous vapors
- Easy-close, three-point, self-latching doors
- Built-in grounding connector on exterior side panel
- Printed warning: “FLAMMABLE — KEEP FIRE AWAY”
- Warranty: 10 years

Compliance: FM approved; meets NFPA Code 30 and complies with OSHA regulations

Capacity	Dimensions (H x W x D)	Mfr. No.	Cat. No.
45 gal. (170L)	65 x 43 x 18 in. (165 x 109 x 46cm)	894520	19-120-2335



Justrite Prefabricated Quick-Disconnect Safety Disposal Cans

For HPLC Waste

Polyethylene can with quick-disconnect system permits hands-free liquid waste accumulation for maximum protection. Suitable for pump-fed or gravity flow HPLC.

- Two fittings accommodate tubing with 0.25 to 0.375 in. (0.6 to 1cm) diameter
- Built-in pressure relief
- Easy liquid level detection with translucent white color

Compliance: FM approved; meet OSHA and EPA requirements

Capacity	Dimensions (H x Dia.)	Mfr. No.	Cat. No.
5 gal. (19L)	20 x 11.8 in. (51 x 30.5cm)	PP12755	19-040-858
2 gal. (8L)	14.75 x 11.8 in. (37.5 X 30.5cm)	PP12752	19-040-880

Justrite Coalescing Carbon Filters

Color Change Indicator

Capture 99% of liquid particulates released as gaseous vapors.

- For use with Justrite Quick-Disconnect Safety Cans with polyester fittings
- Replacement alert indicated by change in carbon cartridge color
- Reuse bottom portion of filter up to four times with new carbon cartridge filters

Compliance: Meet EPA 40 CFR 264.173



Mfr. No.	Cat. No.	Quantity
28161	19-052-372	Each

Youngstown Barrel & Drum Plastic Tight Head Drums

High-Density Polyethylene

Chemical-resistant, tight-head drums for transporting hazardous liquids.

Compliance: UN marking 1H1/Y1.9/150



Capacity	Dimensions (Dia.)*	Mfr. No.	Cat. No.	Quantity
55 gal. (208L)	23 in. (58.4cm)	1269M	19-058-095	Each

*Available in additional sizes and colors.

Youngstown Barrel & Drum Plastic Tight Head Pail

Seamless Construction

Used to ship liquids that require a more securely sealed closure.

- Stackable
- Round, white, with 70mm screw cap
- Weight: 3 lb. (1.4kg)

Compliance: UN marking 1H1/Y1.8/100



Capacity	Dimensions (Dia. X H)	Mfr. No.	Cat. No.	Quantity
5 gal. (18.9L)	11.5 x 14.75 in. (29 x 37.5cm)	2520	18-999-2149	Each

Youngstown Barrel & Drum Ultra-IBC Spill Pallet Plus™ Units

Portable Containment

Chemical-resistant PE will not rust or corrode and all components can be removed for cleaning.

- Low profile for safer tank handling and dispensing
- Accommodate forklift
- Weight: 280 lb. (127kg)
- Load-bearing weight: 8500 lb. (3856kg)

Compliance: Help meet SPCC and EPA container storage regulations



IBC not included with pallet purchase

Description	Capacity	Deck Dimensions (L x W)	Outside Dimensions (L x W x H)	Mfr. No.	Cat. No.
With Drain	360 gal. (1363L)	52 x 52 in. (132 x 132cm)	62 x 62 x 28 in. (158 x 158 x 72cm)	1158 UT (U.S.)	19-130-4978
Without Drain				1157 UT (Canada)	19-130-5333

Youngstown Barrel & Drum Ultra-Overpack Plus™ 95 Poly Drum

Open-Head Style

Safely holds damaged or leaking containers of hazardous materials.

- Easy-close, screw-top lid
- Color: Yellow
- Weight: 48 lb. (22kg)

Compliance: UN marking: 1H2/X345/S



Capacity	Dimensions (O.D. x H)	Mfr. No.	Cat. No.
95 gal. (360L)	32.3 x 43.3 in. (82 x 110cm)	0580 UT	19-171-522

Youngstown Barrel & Drum Ultra-Spill™ Trays

Safer Decanting

Built-in pour spout allows for easy decanting of small amounts of liquids.



Capacity	Dimensions (D x W x H)	Mfr. No.	Cat. No.	Quantity
2.9 gal. (11L)	21 x 17 x 4 in. (53.3 x 42.3 x 10.2cm)	1061 UT	19-130-2735	Each

U.S. Only



Let Your Inventory Speak for Itself



ULS Inventory Manager connects you with the supplies you need to help reduce costs, improve productivity, and deliver critical data.

- Use our mobile app for one simple place to scan, replenish, track, and receive inventory
- Explore our vending solutions for intelligent inventory management options

For more information, please contact:
ULSinventorymanager.vending
@thermofisher.com



In the United States:

For customer service, call 1-800-766-7000
To fax an order, use 1-800-926-1166
To order online: fishersci.com

In Canada:

For customer service, call 1-800-234-7437
To fax an order, use 1-800-463-2996
To order online: fishersci.ca

 **fisher scientific**
part of **Thermo Fisher Scientific**

© 2018 Thermo Fisher Scientific Inc. All rights reserved.
Trademarks used are owned as indicated at fishersci.com/trademarks.

18-169-2119 JA 10/18 BN20183803